830 Douglas Ave. Dunedin, FL 34698 (727)733-2447 Fax:(727)733-3962 www.OceanOptics.com





# FL-400 Flame-resistant Fiber Probe Installation and Operation Instructions

# Description

The FL-400 Flame-resistant Fiber Probe is a heat-resistant fiber optic probe that couples to Ocean Optics miniature fiber optic spectrometers to measure *in situ* emission spectra of samples such as dissolved metals and high-temperature plasmas.

The FL-400 is a high-temperature 400- $\mu$ m gold-jacketed UV-VIS optical fiber in an 8" nickel sleeve. The tip of the FL-400 probe functions in environments up to 700 °C.



# Parts Included

- FL-400 probe
- Wire loop for emission measurements of dissolved materials
- SMA Splice bushing (21-02)

An optical fiber is not included but is required for operation. We recommend the P400-2-UV-VIS Optical fiber.



# **Connecting the Probe**

#### ► Procedure

To connect the FL-400, follow the steps below:

- 1. Remove the plastic cover from the FL-400 probe.
- 2. Locate the 21-02 SMA Splice Bushing that came with the probe system.
- 3. Connect the male end of the FL-400 probe to the splice bushing.
- 4. Connect a standard optical fiber (sold separately; typically a P400-2-UV/VIS 400  $\mu$ m optical fiber) to the other end of the splice bushing.
- 5. Connect the other end of the optical fiber to the SMA 905 connecter on the spectrometer.
- 6. Attach the wire loop to the FL-400 by slipping the FL-400 into the coil spring of the wire loop.

You can now observe flame emission spectra of samples such as sodium, potassium, calcium, and copper.

# Operation

After connecting the probe, you can use it to measure salt solutions and solid samples.

### **Measuring Salt Solutions**

#### Procedure

- 1. Dip the flame loop into salt solutions such as potassium, copper, sodium, or calcium.
- 2. Insert the wire loop into a propane torch flame.

### **Measuring Solid Samples**

#### Procedure

- 1. Dampen the loop with HCI solution.
- 2. Dip the loop into a solid sample for flame test.



## Care of the Probe

Follow these guidelines to ensure that the probe remains functional for as long as possible:

- Handle the probe with care.
- Do not drop the probe. Dropping the probe may cause permanent damage.
- Clean the probe with distilled water or light detergents. Mild sonication is recommended.
- Do not place probe tip in a cool cleaning solution while tip is hot. This could fracture the silica fiber in the probe. Allow the probe to cool for a minimum of 10 seconds before placing the probe in a cleaning solution.

### **Probe Specifications**

Specification	Value
Fiber core diameter	400 μm
Fiber core/cladding	Fused silica core and doped, fused silica cladding
Fiber jacketing	Gold
Fiber type	1 single-strand, multimode fiber
Wavelengths covered	300 to 800 nm
Probe sleeve (ferrule)	Nickel
Probe dimensions	17.78 cm length, 20 gauge probes with 0.902 mm OD
Temperature range (tip of probe)	–269 °C to 700 °C
Numerical aperture	0.22
Fiber termination	SMA 905

