

Centering Ring with Fine Filter - Aluminum, SST

INFICON ISO-K quality fittings are manufactured according to ISO 1609, DIN 28404 and Pneurop 6606. Our quality large diameter fittings are the standard vacuum components for all vacuum and high vacuum lines. The high quality INFICON fittings are designed and tested for leak rates less than 1×10^{-9} mbar l/s.



BENEFITS

- Competitively priced
- World wide logistics
- Design and measures follow strictly international respected standards
- Surface finish, welds, material specifications and cleanliness meet or exceed high vacuum specifications
- 2011/65/EU RoHS compliant


ORDER INFORMATION

Type	DN 63 ISO-K	DN 100 ISO-K
Centering ring with fine filter DN 100		212-292
Centering ring with fine filtre DN 63	212-291	

SPECIFICATIONS

Type	DN 63 ISO-K	DN 100 ISO-K
Dimension A	62	94
Dimension B	69.8	101.8
Dimension C	3.9	3.9
Dimension D	8	8
Inner ring:	Stainless Steel 304	Stainless Steel 304
Outer ring:	Aluminum 6082	Aluminum 6082
Seal:	FPM	FPM
Snap ring:	Stainless Steel 304	Stainless Steel 304
Filter grit:	Stainless Steel 304	Stainless Steel 304
Filter:	Stainless Steel 316L	Stainless Steel 316L
Pore size:	0.004mm	0.004mm

DIMENSIONS



www.inficon.com reachus@inficon.com

Due to our continuing program of product improvements, specifications are subject to change without notice.
RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners.

(2018-08) © 2018 INFICON