

## Flange with Tube - Stainless Steel

---

INFICON ISO-K quality fittings are manufactured according to ISO 1609, DIN 28404 and Pneurop 6606. Our quality large diameter fittings are the standard vacuum components for all vacuum and high vacuum lines. The high quality INFICON fittings are designed and tested for leak rates less than  $1 \times 10^{-9}$  mbar l/s.

### BENEFITS

---

- Competitively priced
- World wide logistics
- Design and measures follow strictly international respected standards
- Surface finish, welds, material specifications and cleanliness meet or exceed high vacuum specifications
- 2011/65/EU RoHS compliant



### ORDER INFORMATION

---

| Type                                 | DN 63 ISO-K | DN 100 ISO-K | DN 160 ISO-K | DN 200 ISO-K | DN 250 ISO-K | DN 320 ISO-K |
|--------------------------------------|-------------|--------------|--------------|--------------|--------------|--------------|
| Flange with tube, inox, DN 063 ISO-K | 212-051     |              |              |              |              |              |
| Flange with tube, inox, DN 100 ISO-K |             | 212-052      |              |              |              |              |
| Flange with tube, inox, DN 160 ISO-K |             |              | 212-053      |              |              |              |
| Flange with tube, inox, DN 200 ISO-K |             |              |              | 212-054      |              |              |
| Flange with tube, inox, DN 250 ISO-K |             |              |              |              | 212-055      |              |
| Flange with tube, inox, DN 320 IOS-K |             |              |              |              |              | 212-056      |
| Flange with tube, inox, DN 400 ISO-K |             |              |              |              |              |              |
| Flange with tube, inox, DN 500 ISO-K |             |              |              |              |              |              |
| Flange with tube, inox, DN 630 ISO-K |             |              |              |              |              |              |

## SPECIFICATIONS

| Type        | DN 63 ISO-K           | DN 100 ISO-K          | DN 160 ISO-K          | DN 200 ISO-K          | DN 250 ISO-K          | DN 320 ISO-K          |
|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Dimension A | 100                   | 100                   | 100                   | 100                   | 100                   | 100                   |
| Dimension B | 76.1                  | 108                   | 159                   | 219.1                 | 267                   | 324                   |
| Dimension C | 71.5                  | 104                   | 155                   | 215.7                 | 261                   | 318                   |
| Material:   | Stainless steel 304/- | Stainless steel 304/- | Stainless steel 304/- | Stainless steel 304/- | Stainless steel 304/- | Stainless steel 304/- |

DN 400 ISO- DN 500 ISO- DN 630 ISO-  
K K K

---

212-057

212-058


212-059

## SPECIFICATIONS

| Type        | DN 400 ISO-<br>K         | DN 500 ISO-<br>K         | DN 630 ISO-<br>K         |
|-------------|--------------------------|--------------------------|--------------------------|
| Dimension A | 100                      | 100                      | 100                      |
| Dimension B | 406                      | 508                      | 660                      |
| Dimension C | 400                      | 500                      | 650                      |
| Material:   | Stainless<br>steel 304/- | Stainless<br>steel 304/- | Stainless<br>steel 304/- |

## DIMENSIONS

---



[www.inficon.com](http://www.inficon.com)    [reachus@inficon.com](mailto:reachus@inficon.com)

Due to our continuing program of product improvements, specifications are subject to change without notice.  
RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners.

(2018-08)    © 2018 INFICON