

|                   |  |   |  |   |  |   |  |   |  |
|-------------------|--|---|--|---|--|---|--|---|--|
| 5                 |  | 4 |  | 3 |  | 2 |  | 1 |  |
| Table of Contents |  |   |  |   |  |   |  |   |  |
|                   |  |   |  |   |  |   |  |   |  |
| Table Page 1      |  |   |  |   |  |   |  |   |  |

| Revisions |                                                                                    |          |           |
|-----------|------------------------------------------------------------------------------------|----------|-----------|
| Rev       | Description                                                                        | Date     | Approved  |
| A         | Original Release                                                                   | 05/05/08 | D. Uribe  |
| B         | Reassigned KEY4 and KEY5 lines<br><br>R7 changed to 33K ohm<br>C14 changed to 47pF | 06/03/08 | D. Morfin |

|                                                                                                                                                                                                                                           |  |                                                                                                                    |                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
|                                                                                                                                                      |  | <b>RTAC Americas</b><br>Periferico Sur 7999 Suite "E" Sta. Maria Tequepexpan<br>Guadalajara, Jalisco. Mexico 45601 |                                             |
| This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor. |  |                                                                                                                    |                                             |
| Designer:<br>D. Uribe                                                                                                                                                                                                                     |  | ICAP Classification: FCP: FIUO: <b>X</b> PUBI:                                                                     |                                             |
| Drawing Title:<br><b>VKSP - Key Fob</b>                                                                                                                                                                                                   |  |                                                                                                                    |                                             |
| Drawn by:<br>D. Uribe                                                                                                                                                                                                                     |  | Page Title:<br><b>Page Title</b>                                                                                   |                                             |
| Approved:<br><Approver>                                                                                                                                                                                                                   |  | Size<br>B                                                                                                          | Document Number<br>SCH-24671 PDF: SPF-24671 |
| Date: Wednesday, June 04, 2008                                                                                                                                                                                                            |  | Sheet 1                                                                                                            | of 3                                        |
|                                                                                                                                                                                                                                           |  | Rev B                                                                                                              |                                             |



wise Specified:  
are in ohms, 5%, 1/8 Watt  
All capacitors are in uF, 20%, 50V  
All voltages are DC  
All polarized capacitors are aluminum electrolytic

- 2. Interrupted lines coded with the same letter or letter combinations are electrically connected.
- 3. Device type number is for reference only. The number varies with the manufacturer.
- 4. Special signal usage:  
\_B Denotes - Active-Low Signal  
<> or [] Denotes - Vectored Signals
- 5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.

|                      |                                                     |  |  |      |         |        |
|----------------------|-----------------------------------------------------|--|--|------|---------|--------|
| ICAP Classification: |                                                     |  |  | FCP: | FIUC: X | PUBI:  |
| Drawing Title:       |                                                     |  |  |      |         |        |
| VKSP - Key Fob       |                                                     |  |  |      |         |        |
| Page Title:          |                                                     |  |  |      |         |        |
| NOTES                |                                                     |  |  |      |         |        |
| Size B               | Document Number<br>PDF: SPF-24671 SOURCE: SCH-24671 |  |  |      |         | Rev B  |
| Date:                | Wednesday, June 04, 2008                            |  |  |      | Sheet   | 2 of 3 |

